

# F4

MUE  
BLES  
DE  
BAÑO

| NOFER







# NUESTRAS COLECCIONES

## *OUR COLLECTIONS*

---

- ▶ Ancona
- ▶ Atrani
- ▶ Trend
- ▶ Reel

- 
- ▶ Características y complementos de la gama  
*Characteristics and complements on the range*


- 
- ▶ Manual de instalación  
*Installation manual*
  - ▶ Condiciones de venta  
*Terms of sale*











► Lacado /  
Lacquered



Madera  
Laminada /  
Laminated  
Wood



Blanco brillo /  
White Gloss

Art /



3D CAJONES  
METÁLICOS  
3D metallic  
drawers /  
Cierre silencioso  
Soft closing




DECOBUILD  
SYSTEM 19MM




# ANCONA / 2 cajones 2 drawers

## ► MUEBLE Vanity



## cotas seno encimera technical integrated sink



## ► BASE DE LAVABO SUSPENDIDO 2 CAJONES

Wall hung base 2 drawers

| COLOR<br>Colour | A (cm) | REF           |
|-----------------|--------|---------------|
|                 | 60     | AN202.060.BB  |
|                 | 60     | AN202.060.ART |
|                 | 80     | AN202.080.BB  |
|                 | 80     | AN202.080.ART |
|                 | 100    | AN202.100.BB  |
|                 | 100    | AN202.100.ART |

## ► ENCIMERA CERÁMICA INTEGRADA VOLTERRA

Integrated ceramic countertop VOLTERRA

| A (cm) | REF      |
|--------|----------|
| 61     | EV.061.C |
| 81     | EV.081.C |
| 101    | EV.101.C |


## ► ESPEJO Mirror

### Level




Alto 80cm  
Height 80cm

### Moon



Alto A (cm)  
Height A (cm)

### Sun



Alto 80cm  
Height 80cm

incluye sistema On/Off de encendido y sistema antivaho con pulsador  
includes systems On/Off Led and antimist system with push button

| A (cm) | REF      | REF       | REF      |
|--------|----------|-----------|----------|
| 60     | LV.06080 |           | SN.06080 |
| 80     | LV.08080 | MN.08080  | SN.08080 |
| 100    | LV.10080 | MN.100100 | SN.10080 |

| LUZ<br>Light |
|--------------|
| LED          |

| COLOR °K<br>Colour °K      |
|----------------------------|
| 4000K<br>Neutra<br>Neutral |

| CONSUMO<br>Consumption |
|------------------------|
| MAX.<br>26.5W          |

| FLUJO LUMINOSO<br>Luminous flux               |
|-----------------------------------------------|
| 960<br>LUMENS<br>metro lineal<br>linear meter |

| ESTANQUEIDAD<br>Tightness |
|---------------------------|
| IP44                      |



PULSADORES ON/  
OFF & ANTIVAH  
On/Off & Anti-mist push  
buttons

## ► APLIQUE LED ESPEJO (solo para modelo Level) Mirror LED Light (only for Level model)





REF

LVL.030.B

| LUZ<br>Light | COLOR °K<br>Colour °K      | CONSUMO<br>Consumption | FLUJO LUMINOSO<br>Luminous flux               | ESTANQUEIDAD<br>Tightness |
|--------------|----------------------------|------------------------|-----------------------------------------------|---------------------------|
| LED          | 4000K<br>Neutra<br>Neutral | 9.6W                   | 960<br>LUMENS<br>metro lineal<br>linear meter | IP20                      |

## ► AUXILIARES / COLUMNA Auxiliaries / COLUMN



| COLOR<br>Colour | A (cm) | REF           |
|-----------------|--------|---------------|
|                 | 35     | XCN.035.D.BB  |
|                 | 35     | XCN.035.D.ART |

◀ Apertura derecha e izquierda. Reversible.

Right and left opening. Reversible.

Sistema apertura Push.

Push system opening.













► Lacado /  
Lacquered



Blanco brillo /  
White Gloss

Madera  
Laminada /  
Laminated  
Wood



Art /

►



3D CAJONES  
METÁLICOS  
3D metallic  
drawers /  
Cierre silencioso  
Soft closing





DECOBUILD  
SYSTEM 19MM




# ATRANI / 3 cajones + patas 3 drawers + legs

## MUEBLE Vanity



## cotas seno encimera technical integrated sink



## BASE DE LAVABO 3 CAJONES + patas 3 Drawers base + legs

| COLOR<br>Colour | A (cm) | REF           |
|-----------------|--------|---------------|
|                 | 60     | AT303.060.BB  |
|                 | 60     | AT303.060.ART |
|                 | 80     | AT303.080.BB  |
|                 | 80     | AT303.080.ART |
|                 | 100    | AT303.100.BB  |
|                 | 100    | AT303.100.ART |

## ENCIMERA CERÁMICA INTEGRADA VOLTERRA

Integrated ceramic countertop VOLTERRA

| A (cm) | REF      |
|--------|----------|
| 61     | EV.061.C |
| 81     | EV.081.C |
| 101    | EV.101.C |


## ESPEJO Mirror

### Level




Alto 80cm  
Height 80cm

### Moon



Alto A (cm)  
Height A (cm)

### Sun



Alto 80cm  
Height 80cm

incluye sistema On/Off de encendido y sistema antivaho con pulsador  
includes systems On/Off Led and antimist system with push button

| A (cm) | REF      | REF       | REF      |
|--------|----------|-----------|----------|
| 60     | LV.06080 |           | SN.06080 |
| 80     | LV.08080 | MN.08080  | SN.08080 |
| 100    | LV.10080 | MN.100100 | SN.10080 |

| LUZ<br>Light |
|--------------|
| LED          |

| COLOR °K<br>Colour °K      |
|----------------------------|
| 4000K<br>Neutra<br>Neutral |

| CONSUMO<br>Consumption |
|------------------------|
| MAX.<br>26.5W          |

| FLUJO LUMINOSO<br>Luminous flux               |
|-----------------------------------------------|
| 960<br>LUMENS<br>metro lineal<br>linear meter |

| ESTANQUEIDAD<br>Tightness |
|---------------------------|
| IP44                      |

| PULSADORES ON/<br>OFF & ANTIVAH<br>On/Off & Anti-mist<br>push buttons |
|-----------------------------------------------------------------------|
|                                                                       |

## APLIQUE LED ESPEJO (solo para modelo Level) Mirror LED Light (only for Level model)





REF

LVL.030.B

| LUZ<br>Light | COLOR °K<br>Colour °K      | CONSUMO<br>Consumption | FLUJO LUMINOSO<br>Luminous flux               | ESTANQUEIDAD<br>Tightness |
|--------------|----------------------------|------------------------|-----------------------------------------------|---------------------------|
| LED          | 4000K<br>Neutra<br>Neutral | 9.6W                   | 960<br>LUMENS<br>metro lineal<br>linear meter | IP20                      |

## AUXILIARES / COLUMNA Auxiliaries / COLUMN



| COLOR<br>Colour | A (cm) | REF           |
|-----------------|--------|---------------|
|                 | 35     | XCN.035.D.BB  |
|                 | 35     | XCN.035.D.ART |

Apertura derecha e izquierda. Reversible.

Right and left opening. Reversible.

Sistema apertura Push.

Push system opening.













► Madera  
Laminada /  
Laminated  
Wood  
Art /



Tirador /  
Handle



Oro



Inox  
satinado



Negro



3D CAJONES  
METÁLICOS  
3D metallic  
drawers /  
Cierre silencioso  
Soft closing




DECOBUILD  
SYSTEM 19MM




# TREND / 2 cajones 2 drawers

## ► MUEBLE Vanity



## cotas seno encimera technical integrated sink



## ► BASE DE LAVABO SUSPENDIDO 2 CAJONES

Wall hung base 2 drawers

| TIRADOR<br>Handle | A (cm) | REF              |
|-------------------|--------|------------------|
|                   | 60     | TD202.060.ART.OR |
|                   | 60     | TD202.060.ART.IX |
|                   | 60     | TD202.060.ART.N  |
|                   | 80     | TD202.080.ART.OR |
|                   | 80     | TD202.080.ART.IX |
|                   | 80     | TD202.080.ART.N  |
|                   | 100    | TD202.100.ART.OR |
|                   | 100    | TD202.100.ART.IX |
|                   | 100    | TD202.100.ART.N  |

## ► ENCIMERA CERÁMICA INTEGRADA VOLTERRA

Integrated ceramic countertop VOLTERRA


| A (cm) | REF      |
|--------|----------|
| 61     | EV.061.C |
| 81     | EV.081.C |
| 101    | EV.101.C |

Para tiradores de  
recambio pág 20.

To replacement  
handles pg 20.


## ► ESPEJO Mirror

### Level




Alto 80cm  
Hight 80cm

### Moon



Alto A (cm)  
Hight A (cm)

### Sun



Alto 80cm  
Hight 80cm

incluye sistema On/Off de encendido y sistema antivaho con pulsador  
includes systems On/Off Led and antimist system with push button

| A (cm) | REF      | REF       | REF      |
|--------|----------|-----------|----------|
| 60     | LV.06080 |           | SN.06080 |
| 80     | LV.08080 | MN.08080  | SN.08080 |
| 100    | LV.10080 | MN.100100 | SN.10080 |

| LUZ<br>Light | COLOR °K<br>Colour °K      | CONSUMO<br>Consumption | FLUJO LUMINOSO<br>Luminous flux               | ESTANQUEIDAD<br>Tightness |
|--------------|----------------------------|------------------------|-----------------------------------------------|---------------------------|
| LED          | 4000K<br>Neutra<br>Neutral | MAX.<br>26.5W          | 960<br>LUMENS<br>metro lineal<br>lineal meter | IP44                      |

PULSADORES ON/  
OFF & ANTIVAHUO  
On/Off & Anti-mist push  
buttons

## ► APLIQUE LED ESPEJO (solo para modelo Level)

Mirror LED Light (only for Level model)




REF

LVL.030.B

| LUZ<br>Light | COLOR °K<br>Colour °K      | CONSUMO<br>Consumption | FLUJO LUMINOSO<br>Luminous flux               | ESTANQUEIDAD<br>Tightness |
|--------------|----------------------------|------------------------|-----------------------------------------------|---------------------------|
| LED          | 4000K<br>Neutra<br>Neutral | 9.6W                   | 960<br>LUMENS<br>metro lineal<br>lineal meter | IP20                      |

## ► AUXILIARES / COLUMNA

Auxiliaries / COLUMN



| COLOR<br>Colour | A (cm) | REF           |
|-----------------|--------|---------------|
|                 | 35     | XCN.035.D.ART |

Apertura derecha e izquierda. Reversible.

Right and left opening. Reversible.

Sistema apertura Push.

Push system opening.

F4 | NOFER













Madera  
Laminada /  
Laminated  
Wood  
Art /



Tirador /  
Handle



Oro



Inox  
satinado



Negro



3D CAJONES  
METÁLICOS  
3D metallic  
drawers /  
Cierre silencioso  
Soft closing




DECOBUILD  
SYSTEM 19MM




# REEL / 2 cajones 2 drawers

## ► MUEBLE Vanity



## cotas seno encimera technical integrated sink



## ► BASE DE LAVABO SUSPENDIDO 2 CAJONES

Wall hung base 2 drawers

| TIRADOR<br>Handle | A (cm) | REF              |
|-------------------|--------|------------------|
|                   | 60     | RE202.060.ART.OR |
|                   | 60     | RE202.060.ART.IX |
|                   | 60     | RE202.060.ART.N  |
|                   | 80     | RE202.080.ART.OR |
|                   | 80     | RE202.080.ART.IX |
|                   | 80     | RE202.080.ART.N  |
|                   | 100    | RE202.100.ART.OR |
|                   | 100    | RE202.100.ART.IX |
|                   | 100    | RE202.100.ART.N  |

## ► ENCIMERA CERÁMICA INTEGRADA VOLTERRA

Integrated ceramic countertop VOLTERRA


| A (cm) | REF      |
|--------|----------|
| 61     | EV.061.C |
| 81     | EV.081.C |
| 101    | EV.101.C |

Para tiradores de  
recambio pág 20.

To replacement  
handles pg 20.


## ► ESPEJO Mirror

### Level




Alto 80cm  
Hight 80cm

### Moon



Alto A (cm)  
Hight A (cm)

### Sun



Alto 80cm  
Hight 80cm

incluye sistema On/Off de encendido y sistema antivaho con pulsador  
includes systems On/Off Led and antimist system with push button

| A (cm) | REF      | REF       | REF      |
|--------|----------|-----------|----------|
| 60     | LV.06080 |           | SN.06080 |
| 80     | LV.08080 | MN.08080  | SN.08080 |
| 100    | LV.10080 | MN.100100 | SN.10080 |

| LUZ<br>Light | COLOR °K<br>Colour °K      | CONSUMO<br>Consumption | FLUJO LUMINOSO<br>Luminous flux               | ESTANQUEIDAD<br>Tightness |
|--------------|----------------------------|------------------------|-----------------------------------------------|---------------------------|
| LED          | 4000K<br>Neutra<br>Neutral | MAX.<br>26.5W          | 960<br>LUMENS<br>metro lineal<br>lineal meter | IP44                      |

PULSADORES ON/  
OFF & ANTIVAHU  
On/Off & Anti-mist push  
buttons

## ► APLIQUE LED ESPEJO (solo para modelo Level)

Mirror LED Light (only for Level model)




REF

LVL.030.B

| LUZ<br>Light | COLOR °K<br>Colour °K      | CONSUMO<br>Consumption | FLUJO LUMINOSO<br>Luminous flux               | ESTANQUEIDAD<br>Tightness |
|--------------|----------------------------|------------------------|-----------------------------------------------|---------------------------|
| LED          | 4000K<br>Neutra<br>Neutral | 9.6W                   | 960<br>LUMENS<br>metro lineal<br>lineal meter | IP20                      |

## ► AUXILIARES / COLUMNA

Auxiliaries / COLUMN



| COLOR<br>Colour | A (cm) | REF           |
|-----------------|--------|---------------|
|                 | 35     | XCN.035.D.ART |

Apertura derecha e izquierda. Reversible.

Right and left opening. Reversible.

Sistema apertura Push.

Push system opening.

F4 | NOFER



# UNA SELECCIÓN DE DISEÑOS PARA DECORAR TU BAÑO.

A SELECTION OF DESIGNS TO DECORATE YOUR BATHROOM.

► **MUEBLE**  
*Vanity*



-  Cajones metálicos con sistema de cierre silencioso y con 3 regulaciones de ajuste.  
*Metallic drawers with soft closing system with 3 adjustment settings.*
-  Interior del mueble y los cajones color Antracita.  
*Interior vanities and drawers in Antracita colour.*
-  Decobuild System / Mueble encolado . Grosor 19mm.  
*Decobuild System / Vanity glued. 19mm thickness.*
-  Sistema colgar con bloqueo de seguridad.  
*High security wall fixing system with security block.*

► **COLORES**

*Colours*

ART / LAMINADO *Laminated*



BLANCO BRILLO / LACADO / *White Gloss / Lacquered*



► **TIRADORES. Recambios TREND / REEL**  
*Handles, Replacement TREND / REEL*

Juego 2 unidades.  
*2 units set.*



| TIRADOR<br><i>Handle</i>                                                            | A (cm) | REF             |
|-------------------------------------------------------------------------------------|--------|-----------------|
|  | 60     | T.030.060.ORO   |
|  | 60     | T.030.060.INOX  |
|  | 60     | T.030.060.NEGRO |
|  | 80     | T.040.080.ORO   |
|  | 80     | T.040.080.INOX  |
|  | 80     | T.040.080.NEGRO |
|  | 100    | T.050.100.ORO   |
|  | 100    | T.050.100.INOX  |
|  | 100    | T.050.100.NEGRO |

► **AUXILIARES. COLUMNA**  
*Auxiliaries. COLUMN*

Apertura derecha e izquierda.  
*Reversible.*

*Right and left opening. Reversible.*

Sistema colgar con bloqueo de seguridad.

*High security wall fixing system with security block.*

Sistema apertura Push.  
*Push system opening.*





# SERVICIO EXPRES. PRODUCTO EN STOCK.

SUJETO A DISPONIBILIDAD

EXPRESS SERVICE. PRODUCT IN STOCK. SUBJECT TO AVAILABILITY




## ► ENCIMERA. Volterra Countertop. Volterra


Encimera integrada Cerámica VOLTERRA.  
Integrated ceramic countertop VOLTERRA.

Blanco Brillo.  
White Gloss.


## ► ESPEJOS Mirrors



MOON




SUN



LEVEL

| LUZ<br>Light | COLOR °K<br>Colour °K      | CONSUMO<br>Consumption | FLUJO LUMINOSO<br>Luminous flux               | ESTANQUEIDAD<br>Tightness |
|--------------|----------------------------|------------------------|-----------------------------------------------|---------------------------|
| LED          | 4000K<br>Neutra<br>Neutral | MAX.<br>26.5W          | 960<br>LUMENS<br>metro lineal<br>lineal meter | IP44                      |

Incluye tecnología Antivaho y sistema On / Off.  
Includes On/Off sensor and antimist system




### ► Pulsador On / Off On/Off push button

Permite encender y apagar la luz LED.  
It will allow you to turn the mirror on/off.

### ► Pulsador Antivaho Anti-mist push button

Permite encender y apagar el sistema antivaho.  
It will allow you to turn the mirror on/off.



### ► Sistema antivaho Anti-mist system


Evita la condensación del agua sobre el espejo que distorsiona la imagen.  
It prevents the condensation of water on the mirror, improving the comfort of use and the perfect reflection of the mirror.

Las luces LED y el antivaho se desconectan automáticamente pasadas las 3 horas de inactividad.

The LED lights and the defogger switch off automatically after 3 hours of inactivity.




# Manual instalación *Installation manual*



Cotas recomendadas de instalación sanitaria.



*Recommended dimensions for the sink installation.*

Regulación de cajones  
Drawer regulation



Extracción de cajones  
Drawer extraction

Regulación de colgadores  
Hangers regulation



▲ Modelos Reel / Trend  
Reel / Trend Models

## Condiciones de venta *Terms of sale*

Las descripciones y fotografías contenidas en nuestro catálogo deberán entenderse únicamente a nivel informativo. Nuestra política es la de mejorar continuamente los productos, por ello nos reservamos el derecho de modificar las especificaciones sin previo aviso. Los colores visualizados en las imágenes impresas pueden diferir de la realidad.

Para más información, consultar página 483 del Catálogo Nofer 2022 o escanear el QR.

*The descriptions and photographs contained in our catalogue are with an information purpose only. Our company policy is to improve our products continuously; therefore we reserve the right to change specifications without prior notification. Colours shown in printed images may vary from the colours of the finished products.*

*For more information, go to page 483 of the Nofer 2022 Catalog or scan the QR.*









BARCELONA

NOFER, S.L.

📍 Ctra. Laureà Miró, 385-387  
08980 Sant Feliu de Llobregat  
Barcelona - Spain

☎ +34 934 742 423

☎ +34 934 743 548

✉ nofer@nofer.com

🌐 www.nofer.com

MILANO

BOCCHISAFEWORK, S.R.L.

📍 Via Torino, 10  
20060 Liscate  
Milano - Italy

☎ +39 0249 796 141

✉ info-bocchi@nofer.com

DUBAI

Office #1, Industrial Area,  
Maliha Road, P.O. Box  
4316, Sharjah, UAE

☎ +971 65467420

✉ info@mena-gate.com



CAT.NF410.M1



**NOFER**  
BRAND GROUP



**NOFER**



DECOSAN

**BOCCHI** SafeWORK

**agelar, s.a.**